

MATERIAL SAFETY DATA SHEET

U.S. Department of Labor

May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 1910.1200 Standard must be
 consulted for specific requirements.

Occupational Safety and Health Administration
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072

SECTION 1 - General Information

PRODUCT IDENTITY 3D Crystal Lacquer	PRODUCT CLASS 3D Crystal Lacquer
Manufacturer's Name	Emergency Telephone Number (310) 212-7878
Address (Number, Street, City, and Zip Code)	Telephone Number for Information (310) 212-7575

SECTION 2 - Hazardous Ingredients/Identity Information

Hazardous Components (Special Chemical Identity; Common Name (s) OSHA PEL ACGIH TLV Other Limits Recommended % (Optional)

PRODUCT IS STABLE DISPERSION OF VERY SMALL POLYMER PARTICLE IN WATER.**THE DISPERSION CONTAINS FORMAL DEHYDE AT CONCENTRATION LESS THAN****0.1 % BY WEIGHT.**

Contend ammonium hydroxide which forms a salt of the polymer, which solubilizes the polymer
 in water. The amount of free ammonia that may be present is below the minimum level for
 disclosure. Toxicologist studies of products containing similar levels of polymer salt indicate
 that the products may be classified as non-hazardous.

POTENTIAL ENVIRONMENTAL EFFECTS (AQUATIC TOXICITY)**AT THE PRESENT STATE OF KNOWLEDGE, NO NEGATIVE****ECOLOGICAL EFFECTS ARE EXPECTED****SECTION 3 - Physical/Chemical Characteristics**

Boiling Point	212°F	Specific Gravity (H ₂ O = 1)	1.1
Vapor Pressure (mm Hg.)	NA	Melting Point	NA
Vapor Density (AR = 1)	NA	Evaporation Rate (Butyl Acetate = 1)	NA

Solubility in Water

MISCIBLE

Appearance and Odor

PLEASANT, SWEET**Section 4 - Fire and Explosion Hazard Data**

Flash Point (Method Used)	NONE	Flammable Limits	LEL	UEL
			NA	NA

Extinguishing Media

WATER OR CO₂

Special Fire Fighting Procedures

WEAR SELF - CONTAINED BREATHING APPARATUS.

Unusual Fire and Explosion Hazards

NONE

(Reproduce locally)

OSHA 174, Sept. 1985