

# MATERIAL SAFETY DATA SHEET

## Fabri-Fuse

### I. PRODUCT IDENTIFICATION

Trade Name                      Fabri-Fuse

Supplier                         Eclectic Products Inc.  
1075 Arrowsmith  
Eugene, OR 97402

Phone Numbers                800-693-4667  
541-284-4667

For Chemical Emergency Call    INFOTRAC  
800-535-5053  
001-352-323-3500

Chemical Family                Styrene Acrylic Polymer in water

DOT Shipping Name             Styrene Acrylic Polymer in water

DOT Status                      Not regulated

Date:                              3 / 1 / 2013

|                     |   |
|---------------------|---|
| Health              | 1 |
| Flammability        | 0 |
| Reactivity          | 0 |
| Personal Protection | B |

### II. OSHA REGULATED INGREDIENTS

Ingredients are judged non-hazardous are regarded as trade secrets.

| <u>Ingredients</u>  | <u>CAS #</u> | <u>OSHA PEL</u> | <u>ACGIH TLV</u> | <u>OSHA STEL</u> | <u>Approx. %</u> |
|---------------------|--------------|-----------------|------------------|------------------|------------------|
| Proprietary Mixture | n/d          | n/d             | n/d              | n/d              | 100%             |

**NOTE: See section XII for other regulatory information**

**Carcinogen status: NTP – NO    IARC – NO    OSHA – NO**

\* SARA 313: No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present.

### III. PRECAUTIONARY INFORMATION

- Product is not considered hazardous under normal conditions.
- Direct contact of product with eyes can cause irritation.
- Prolonged or repeated contact with skin may cause irritation.

### IV. EMERGENCY and FIRST AID PROCEDURES

Eyes                      Flush immediately with water for 15 minutes. Consult a physician if irritation persists.

Skin                        Wash affected area with soap and water.

Inhaled                    Remove subject to fresh air.

Fire                        Product is non-flammable in the liquid state. Use water spray, foam, dry chemical or carbon dioxide on dried product.

Spill                        Collect and remove using inert absorbent. Contain spill entering sewers. Notify appropriate agencies.

**V. PHYSICAL DATA**

|                     |              |
|---------------------|--------------|
| Physical State      | Milky liquid |
| Boiling Point       | >200°F       |
| Weight per gallon   | 8.67 lbs/gal |
| Solubility in Water | Dilutable    |

---

**VI. PERSONAL PROTECTION EQUIPMENT**

|             |   |
|-------------|---|
| Eyes        | Wear chemical safety goggles to reduce the potential for eye contact. Eye wash fountain should be available.          |
| Skin        | Use impermeable chemical gloves and wear appropriate protective clothing. Launder contaminated clothing before reuse. |
| Respiratory | Respiratory protection is not normally required. Use NIOSH/MSHA approved respirator if conditions warrant.            |
| Ventilation | Standard industrial ventilation is recommended.   |

---

**VII. FIRE PROTECTION**

|                                   |  |
|-----------------------------------|--|
| Flash Point                       | Non-flammable  |
| Extinguishing media               | Non-flammable in liquid state; use water spray, foam, dry chemical. Use carbon dioxide on dried product.   |
| Unusual Fire and Explosion Hazard | Personnel exposed to products of combustion should wear self-contained breathing apparatus and full protective equipment. Containers exposed in a fire should be cooled with water to prevent vapor pressure buildup leading to a rupture. |

---

**VIII. REACTIVITY INFORMATION**

|                          |   |
|--------------------------|---|
| Stability                | Stable  |
| Incompatibility          | Not Established   |
| Hazardous decomposition  | Combustion of the dried product can yield low molecular weight hydrocarbons such as carbon monoxide and carbon dioxide. |
| Hazardous Polymerization | Will not occur  |

---

**IX. EFFECT OF OVEREXPOSURE**

|   |  |
|---|--|
| Eyes  | Eye contact with liquid may cause irritation.  |
| Skin  | Repeated or prolonged skin contact with liquid may cause irritation  |
| Inhalation                                      | No expected effects.   |
| Chronic   | No anticipated effects. This product does not contain regulated levels of NTP, IARC or OSHA listed carcinogens |
| Existing Health Conditions Affected by Exposure | No known effects on other illnesses  |

---

---

## X. SPILL and DISPOSAL INFORMATION

|              |   |
|--------------|---|
| Small Spills | Should be contained using absorbent material, such as clay, soil or any commercially available absorbent. Shovel reclaimed liquid and absorbent into recovery or salvage drums for disposal.  |
| Large Spills | Should be diked to prevent further movement and reclaim into recovery or salvage drums for disposal.  |
| Disposal     | This product <b>does not</b> meet the definition of <b>hazardous waste</b> under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Consult your state or local authorities for proper disposal in the event more restrictive requirements apply. |

---

**XI. STORAGE**      Protect from freezing - product stability may be affected.

---

## XII. REGULATORY INFORMATION

|                     |   |
|---------------------|---|
| TSCA                | This product meets the compositional requirements of the Toxic Substances Control Act and contains only chemical ingredients that are listed on the TSCA inventory. |
| California Prop. 65 | This product contains no trace amounts of a chemical(s) known to California to cause cancer and/or birth defects or other reproductive harm.                        |
| Canadian EPA        | This product contains only chemical ingredients that are listed on the Domestic Substance List of the Canadian Environmental Agency.                                |
| ASTM D-4236         | This product conforms to ASTM D-4236  |

---

## ABBREVIATIONS

NA - Not applicable, NE - Not established, NSR - No special requirement, ND - Not determined

---

Eclectic Products Inc. believes that the information provided is accurate and reliable as of the date of this material safety data sheet and is given in good faith. No warranty expressed or implied is made as to the accuracy, reliability or completeness of the information. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State and local laws and regulations. Eclectic Products Inc. urges persons receiving this information to make their own determination as to the information's suitability and applicability for an intended use.

Note: This information must be included in all MSDS that are copied and distributed for this material.